# SAFETY DATA SHEET

 Issue Date
 27-May-2015
 Revision Date
 27-May-2015
 Version
 1

### 1. IDENTIFICATION

Product identifier

**Product Name** 

# **Dricon® Fire Retardant Treated Wood**

Other means of identification

Product Code 20002

Recommended use of the chemical and restrictions on use

Recommended Use Treated Wood.

Details of the supplier of the safety data sheet

Supplier Address Manufacturer Address

Customers and Licensees of: Mid-States Wood Wood Preservers, LLC Arch Wood Protection, Inc. P.O. Box 560 / 147 Shelby Road

360 Interstate North Parkway, Suite 450 Simsboro, LA 71275

Atlanta, GA 30339

Emergency telephone number
318-247-3741
24 Hour Emergency Phone Number
Emergency Telephone

### 2. HAZARDS IDENTIFICATION

#### Classification

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 3
Serious eye damage/eye irritation	Category 2B
Respiratory sensitization	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 1A
Reproductive toxicity	Category 1B
Specific target organ toxicity (single exposure)	Category 3

#### Label elements

# **Emergency Overview**

### Danger

#### Hazard statements

Causes eye irritation

May cause cancer

May damage fertility or the unborn child

May cause respiratory irritation

Causes mild skin irritation

May cause an allergic skin reaction

May cause allergy or asthma symptoms or breathing difficulties if inhaled



Physical state Solid

Odor No information available

#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

Causes mild skin irritation

Unknown acute toxicity No information available

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### **Substance**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS No.	Weight-%	Trade Secret
Wood and Wood Dust	NOT ASSIGNED	85 - 100	
Boric acid	10043-35-3	0.1 - 1	

### 4. FIRST AID MEASURES

#### **Description of first aid measures**

General advice In case of accident or unwellness, seek medical advice immediately (show directions for use

or safety data sheet if possible).

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Do not rub affected area.

Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower.

**Inhalation** Remove to fresh air. Call a physician immediately. If not breathing, give artificial respiration.

Ingestion If swallowed, call a poison control center or physician immediately. If swallowed, do not

induce vomiting: seek medical advice immediately and show this container or label.

Most important symptoms and effects, both acute and delayed

**Symptoms** See Section 11: TOXICOLOGICAL INFORMATION.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Carbon dioxide (CO2). Water spray or fog.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

#### Specific hazards arising from the chemical

No information available.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2). Toxic gas. Nitrogen oxides (NOx).

#### **Explosion data**

Sensitivity to Mechanical Impact Warning. Sensitivity to Static Discharge Warning.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

**Environmental precautions** See Section 12: ECOLOGICAL INFORMATION.

### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use personal protective equipment as required. Cover powder spill with plastic sheet or tarp

to minimize spreading and keep powder dry. Take up mechanically, placing in appropriate containers for disposal. Avoid creating dust. Clean contaminated surface thoroughly.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Do not burn treated wood. Do not use pressure treated chips or sawdust as mulch. Avoid Advice on safe handling

generation of dust. May form combustible dust concentrations in air. Take precautionary

measures against static discharges. Avoid contact with skin, eyes or clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray.

# Conditions for safe storage, including any incompatibilities

**Storage Conditions** Avoid generation of dust.

Incompatible materials None known based on information supplied.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

**Exposure Guidelines** 

•			
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Wood and Wood Dust	1.0 mg/m <sup>3</sup> Inhalable,	15 mg/m³ Total Dust	-
NOT ASSIGNED	0.5 mg/m <sup>3</sup> Inhalable Western Red	5.0 mg/m <sup>3</sup> Respirable Fraction	
	Cedar		
Boric acid	STEL: 6 mg/m³ inhalable fraction	=	-
10043-35-3	TWA: 2 mg/m <sup>3</sup> inhalable fraction		

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

### **Appropriate engineering controls**

**Engineering Controls** Showers. Eyewash stations. Ventilation: Saw, cut or machine wood outdoors or in well

ventilated areas. Due to the explosive potential of dust when suspended in air, precautions should be taken when sawing, sanding, or machining wood or wood products to prevent sparks or other ignition sources. If required, use wet methods and/or explosion suppression systems to reduce generation of dust. Local exhaust ventilation is recommended when sawing, sanding, or machining this product. General dilution ventilation is recommended in

processing and storage areas.

### Individual protection measures, such as personal protective equipment

Eye/face protection Use safety glasses with side shields or chemical goggles when sawing or cutting treated or

untreated wood.

Skin and body protection Wear leather gloves. Wear long sleeve shirt, pants, and steel-toed shoes when handling

treated or untreated wood.

Respiratory protection None normally required. When sawing or cutting treated or untreated wood, wear a NIOSH

approved N95 or better dust mask.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

> smoke when using this product. Take off all contaminated clothing and wash it before reuse. Avoid contact with skin, eyes or clothing. Wash face, hands and any exposed skin thoroughly

after handling.

Solid

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state

**Appearance** No information available Odor No information available **Odor threshold** Color No information available No information available

Remarks • Method Property **Values** 

No information available

No information available

No information available Hq Melting point / freezing point No information available Boiling point / boiling range No information available

Flash point **Evaporation rate** Flammability (solid, gas)

Flammability Limit in Air

**Upper flammability limit:** No information available Lower flammability limit: No information available Vapor pressure No information available Vapor density No information available Relative density No information available Water solubility No information available

Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available Dynamic viscosity No information available **Explosive properties** No information available Oxidizing properties No information available

**Other Information** 

Softening point No information available No information available Molecular weight **VOC Content (%)** No information available Density No information available **Bulk density** No information available

### 10. STABILITY AND REACTIVITY

### Reactivity

No data available

### **Chemical stability**

Stable under recommended storage conditions.

# Possibility of Hazardous Reactions

None under normal processing.

# **Conditions to avoid**

Extremes of temperature and direct sunlight.

#### Incompatible materials

None known based on information supplied.

### **Hazardous Decomposition Products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

#### **Product Information**

Inhalation WOOD and WOOD DUST: May cause cancer. May cause sensitization by inhalation. May

cause allergy or asthma symptoms or breathing difficulties if inhaled.

WOOD and WOOD DUST:. Irritating to eyes. Eye contact

Skin contact WOOD and WOOD DUST: . May cause irritation. May cause allergic skin reaction.

Ingestion

WOOD and WOOD DUST:. Harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Boric acid	= 2660 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 0.16 mg/L (Rat)4 h
10043-35-3			

### Information on toxicological effects

**Symptoms** 

No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Wood and Wood Dust	X	Group 1	X	X
NOT ASSIGNED		•		

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

### Numerical measures of toxicity - Product Information

ATEmix (oral)

ATEmix (dermal)

ATEmix (inhalation-gas)

ATEmix (inhalation-dust/mist)

ATEmix (inhalation-vapor)

#### Numerical measures of toxicity

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

### Persistence and degradability

No information available.

### **Bioaccumulation**

No information available.

Chemical Name	Partition coefficient
Boric acid	-0.757
10043-35-3	

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

# Waste treatment methods

Disposal of wastes This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). Dispose of in accordance with federal, state and local regulations.

Contaminated packaging No information available.

\_\_\_\_\_

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status	
Boric acid	Toxic	
10043-35-3		

### 14. TRANSPORT INFORMATION

DOT Not regulated Not regulated TDG MEX Not regulated ICAO (air) Not regulated IATA Not regulated **IMDG** Not regulated RID Not regulated Not regulated ADR ADN Not regulated

### 15. REGULATORY INFORMATION

### International Inventories

Complies **TSCA DSL/NDSL** Complies **EINECS/ELINCS** Complies mply Complies **ENCS** Complies **IECSC KECL** Complies **PICCS** Complies **AICS** Complies

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazardYesChronic Health HazardYesFire hazardYesSudden release of pressure hazardNo

Reactive Hazard

No

### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### **US State Regulations**

# **California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Wood and Wood Dust - NOT ASSIGNED	Carcinogen

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	X
Phosphoric Acid 7664-38-2	X	X	X

#### U.S. EPA Label Information

**EPA Pesticide Registration Number** Not applicable

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFP</u>A Health hazards 2 Flammability 1 Instability 0 **Physical and Chemical** 

**Properties HMIS** Health hazards 2 Flammability 1 Physical hazards 0 Personal protection X

**Issue Date** 27-May-2015 27-May-2015 **Revision Date** 

**Revision Note** 

No information available

**Disclaimer** 

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**